

83WP/63 without cylinder



Technologies

- Shackle and lock body made of hardened special steel with NANO PROTECT™ coating for extreme corrosion resistance
- Precision pin cylinder
- RK: cylinder can be re-keyed to match an existing key
- As required, either automatic locking = locking without a key by pressing down on the shackle, or key-retaining = locking only with a key (Z-bar)
- Extremely weather-resistant due to the full plastic coating, including cylinder protection and sealed shackle holes
- 83WP/53: Shackle can be exchanged within seconds

Usage

- To secure assets and objects of greater value or those at a high risk of theft
- To secure grates, doors, gates, cupboards, tool boxes, cellar windows, sheds, switch boxes, barriers, etc.



Security Tech Germany

83WP/63 without cylinder

Page 2 of 3

83WP/63 without cylinder

Technical Data - 83WP/63 without cylinder

| | |
|------------------------------|------------------|
| Depth e | 35,5 mm |
| Height f | 111,5 mm |
| Horizontal clearance b | 25 mm |
| Keyed alike | No |
| Security Level Home Security | 9 |
| Shackle diameter d | 11,5 mm |
| Vertical clearance c | 35 mm |
| Weight [g] | 424 g |
| Width a | 64,5 mm |
| type of cylinder | without cylinder |