

Art.-Nr. PPIC42520B Seite 1 von 4



Keeping an eye on everything important And you decide what's important...

With some other cameras, they constantly report alarms, but without any real reason for it. At some point you stop reacting at all. You don't want a motion alarm on your mobile phone because of branches swaying in the wind or the harmless neighbour's cat, but you do if someone is in your garden at night?

The ABUS Wi-Fi pan/tilt outdoor camera does it right: It differentiates between people, animals and vehicles completely automatically. You decide what is important to you and only then will you receive a push message via the App2Cam Plus mobile app. This saves time and spares worry.

By the way, all features are permanently available to you free of charge with the app: for example, hiding private and public areas and turning the camera very quickly to a specific position. Same for access on the go and the intercom function so that you can talk to parcel carriers contact-free, for example. The camera is immediately ready to record with the microSD memory card included and the app even shows what happened 3 seconds before motion was detected.

The surveillance camera delivers brilliant image quality day and night. It is completely weatherproof and optimal for outdoors. With it, you fulfil all the requirements of data protection law. It is compatible with the Smartvest wireless alarm system. And after a super simple start-up with help from the app assistant, it's ready to use immediately.

Technologies

Pan/tilt surveillance camera with Wi-Fi, intelligent motion detection, push notifications for movement alarms and



Art.-Nr. PPIC42520B Seite 2 von 4

free storage and access to all App2Cam Plus functions via mobile phone and tablet app

- Immediately ready to use thanks to super simple start-up (with app assistant in just a few minutes, incl. Bluetooth pairing between camera & Damp; smartphone) and integrated microSD memory card
- Free access to live stream, memory and all functions via App2Cam Plus (motion detector, pan and tilt, digital zooming, 2-way audio through loudspeaker and microphone etc.)
- Can be placed/mounted almost anywhere outside thanks to high Wi-Fi stability, range and security (high-grade dual Wi-Fi chip for 2.4 GHz & Chiz, incl. encryption); completely black design (ideal e.g. for brick façades)
- Full recordings using pre-recording and automically starting recording (with the intelligen memory function, recordings start up to 3 seconds even before motion detection)
- Fully automatic detection and differentiation of objects (person, animal, vehicle), ignores disturbances (branches, light) and semi-automatic quick-turn in the app to 3 preset positions
- Hide private zones (e.g. public properties), mark important zones with intelligent motion detection ("Region of Interest", or ROI for short) and areas without detection ("Region of Non-Interest", or RONI for short) in the app
- Data protection-compliant recording (according to the General Data Protection Regulation, GDPR for short: Disable audio for recordings and automatically delete video data after 3, 7 or 30 days with ring memory function)
- Full HD resolution, clear night vision up to 20 m and protection class IP66 (weatherproof)
- All-inclusive: All functions and over-the-air updates always free

Technical data - ABUS Wireless Pan/Tilt Outdoor Camera

| Alarming | Push notification / E-Mail |
|----------------------------|---|
| Aperture | F2.0 |
| Audio bitrate | 16 Kbit/s |
| Audio compression | AAC |
| Audio input | Microphone |
| Audio output | Loudspeaker |
| Automatic aperture control | Yes |
| Base event | Hardware object detection + motion mask |
| Channel width | 20 MHz |
| Colour | Black |
| Compatibility | Smartvest wireless system |
| Compatible with | Smartvest Funk-System |
| Compatible with Secvest | No |
| Compatible with Smartvest | Yes |
| Compatible with wAppLoxx | No |
| DC voltage supply | 5 V |
| Day/night switching | Auto |
| Dimensions | 210 x 120 x 160 mm |
| Encryption | AES 128bit, WPA/WPA2-PSK |
| Focal length | 4,1 mm |



Art.-Nr. PPIC42520B Seite 3 von 4

Technical data - ABUS Wireless Pan/Tilt Outdoor Camera

| Frequency range | 2,400 –2,485 / 5,0 GHz |
|------------------------------|---|
| Functions | 2-way audio, Night vision, People recognition, Pan-tilt, Animal recognition, Zoom |
| Horizontal viewing angle | 82 ° |
| Housing material | Plastic |
| IP protection class | 66 |
| IR LEDs | Yes |
| IR range (up to) | 20 m |
| IR swivel filter | Yes |
| Image sensor | 1/2.8" CMOS |
| Loudspeaker | Yes |
| Max. humidity | 90 % |
| Max. operating temperature | 50 °C |
| Max. resolution @ frame rate | Full HD (1080p) @ 15fps |
| Microphone | Yes |
| Min. humidity | 20 |
| Min. operating temperature | -10 °C |
| Minimum illumination (IR) | 0 lx |
| Minimum illumination | 1 x |
| (colour) | |
| Network access | RJ-45 connector (10/100 Mbps) |
| Network protocols | TCP/IP, UDP, SMTP, NTP, DHCP, ARP |
| Number of presets | 3 |
| Number of users | 3 |
| Optical Wave Length | 940 nm |
| Pan/tilt range | 270° Horizontal / 90° Vertical |
| Plug type | DC-plug: 3,5 x 1,35 mm |
| Power consumption | 4 W |
| Power supply | Power adapter |
| Pre/post alarm memory | up to 3 sec. |
| Private zones | 40x24 grid (static) |
| Recording modes | Manuell / Bewegungserkennung |
| Resolution modes | Full HD (1080p) / VGA (480p) |
| Sensitivity | -90 dBm |
| Simultaneous network access | 3 |
| Software | App: ABUS App2Cam Plus (Android/iOS) |
| Storage medium | Micro-SD (up to 128GB) |
| Technology | Network |
| Transmission power | 11b: 17 +/- 1,5dBm / 11g: 14 +/- 1,5dBm / 11n: 12,5 +/- 1,5dBm |
| Vertical viewing angle | 43 ° |
| | |



Art.-Nr. PPIC42520B Seite 4 von 4

Technical data - ABUS Wireless Pan/Tilt Outdoor Camera

| Video Content Analysis (VCA) | Human / Animal / Vehicle Detection |
|------------------------------|--|
| Video compression | H.264 |
| WLAN network access | IEEE 802.11 b/g/n/ac |
| White balance | AWB |
| Wireless range | 10-30 metre, depending on local conditions m |